INVITATION TO BID	A STUDY	BIDS WILL BE PU	BLICLY OPENED:
STATE OF LOUISIANA		APR 05, 20	11 10:00 AM
LA DEPT OF PUBLIC SAFETY & CORRECT HQ-PURCHASING		PURCHASING AGENC	CY NO.: 400PUR
====> VENDOR NO. :		OFF NO A RELOY	W DETUDNING TO
			W. RETURN BID TO 10:00 AM
VENDOR NAME AND ADDRESS		2244149 0- HQ-PURCHASING PURCHASING/CORRI P.O. BOX 94304 504 MAYFLOWER ST BATON ROUGE, LA 7	REET 70804-9304
FILL IN VENDOR NUMBER (FEIN), NA ADDRESS ABOVE, BEFORE SUBMIT		AGENCY REQ. NO.	: 1338242 : : 11 : 84070 FE : 00/00/00
CAMCORDERS AND MEMORY CARDS *** FAX BID: 225-342-6593 ***			
TO BE CO 1. PLEASE REMOVE FROM THIS COMMODITY CODE. 2. DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER REG. 3. % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN TH LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BU DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTIBUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. 4. BID BOND ATTACHED, CERTIFIED CHECK ATTAG. 5. BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON REG.)	HIRTY (30) DAYS. JT WILL NOT BE (TRACTS, CASH DI CHED,	R. CASH DISCOUNTS FOR CONSIDERED IN ISCOUNTS WILL BE ACCEPTED AND TAKEN OTHER, IF REQUIRED.	1
INSTRUCT 1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND S	TIONS TO BIDDE		_
2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTION INITIALED BY THE BIDDER. 3. THIS BID IS TO BE MANUALLY SIGNED IN INK. 4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MAINVOICE OR DELIVERY, WHICHEVER IS LATER. 5. AMOUNT OF BID BOND REQUIRED: N/A	ONS, ERASURES (ON OR AS OTHE	OR OTHER FORMS OF ALTERATION TO UNI	FOLD HERE> /MENT IN ADVANCE"
6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED. 7. DESIRED DELIVERY:	HOULD BE RETU SPECIAL ENVELO STATE OF LOUIS ARD TERMS AND EE WITH ALL INST	RNED IN AN ENVELOPE OR PACKAGE CLEADE IF FURNISHED FOR THAT PURPOSE. SIANA INCLUDING BUT NOT LIMITED TO L.R. O CONDITIONS; SPECIAL CONDITIONS; AND TRUCTIONS TO BIDDERS, TERMS, CONDITION ON OR FRAUD. THIS BID IS TO BE MANUALI	.S. 39:1551-1736; SPECIFICATIONS LISTED DNS AND LY SIGNED IN INK
·	TITLE	·····	DATE
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE (MUST BE SIGNED)		NAME OF BIDDER (TYPED OR PRINTED)	

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2244149 OPEN DATE: 04/05/11 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 2

11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.

12. CONFERENCE:

NA

NΔ

NA

13. BID FORMS.

ALL WRITTEN BIDS. UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

- A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND:
- B. BID FILLED OUT IN PENCIL: AND
- C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT

14. STANDARDS OF QUALITY.

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

15. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

16. BID OPENING.

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.

17. AWARDS.

THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.

LINESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SQLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

19. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.

20. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2244149 OPEN DATE: 04/05/11 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 3

21. NEW PRODUCTS.

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

22. CONTRACT RENEWALS.

UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

23. CONTRACT CANCELLATION.

THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.

24. DEFAULT OF CONTRACTOR.

FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT.
WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS
OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT
PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

25. ORDER OF PRIORITY.

IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

26. APPLICABLE LAW.

ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

27. COMPLIANCE WITH CIVIL RIGHTS LAWS.

BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

28. SPECIAL ACCOMMODATION.

ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

29. INDEMNITY.

CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
UMBER : 2244149 BIDDER: PAC	PAGE 4	
ATTENTION: R.S. 39:1594(C)(4) REQUIRES EVIDENCE OF AI INDICATE WHICH OF THE FOLLOWING APPLY TO THE SIGN PLEASE CIRCLE ONE: 1. THE SIGNER OF THIS BID IS EITHER A CORPORATE OFF SECRETARY OF STATE OR A MEMBER OF A PARTNERSHIF RECORDS ON FILE WITH THE SECRETARY OF STATE. A COFFICE BEFORE CONTRACT AWARD. 2. THE SIGNER OF THE BID IS A REPRESENTATIVE OF THE RESOLUTION OR CERTIFICATION AS TO CORPORATE PRINATTACHED HERETO. 3. THE BIDDER HAS FILED WITH THE SECRETARY OF STATINDICATING THAT THE SIGNER IS AUTHORIZED TO SUBMITS SUBMITTED TO THIS OFFICE BEFORE CONTRACT AWARD. 4. THE SIGNER OF THE BID HAS BEEN DESIGNATED BY THE ON FILE WITH THIS OFFICE. 31. IN ACCORDANCE WITH THE PROVISIONS OF R.S. 39:214 AUTHORIZED TO REJECT A PROPOSAL OR BID FROM, OR OWNERSHIP INTEREST OF FIVE PERCENT OR MORE, HAS STATE FELONY OR EQUIVALENT FEDERAL FELONY CRIME LAWS GOVERNING PUBLIC CONTRACTS UNDER THE PROVISIONS OF THE PROPOSAL OR BID FROM, OR	FICER WHO IS LISTED ON THE MOST CURRENT ANNUAL REPORT ON FILE WITH THE P OR PARTNERSHIP IN COMMENDAM AS REFLECTED IN THE MOST CURRENT PARTNERSHIP COPY OF THE ANNUAL REPORT OR PARTNERSHIP RECORD MUST BE SUBMITTED TO THIS BIDDER AUTHORIZED TO SUBMIT THIS BID AS EVIDENCED BY THE CORPORATE NCIPAL. IF THIS APPLIES A COPY OF THE RESOLUTION OR CERTIFICATION MUST BE AN AFFIDAVIT OR RESOLUTION OR OTHER ACKNOWLEDGED/AUTHENTIC DOCUMENT IT BIDS FOR PUBLIC CONTRACTS. A COPY OF THE APPLICABLE DOCUMENT MUST BE AN AFFIDAVIT OR RESOLUTION OR OTHER BIDDER'S VENDOR REGISTRATION BE AN AUTHORIZED TO SUBMIT BIDS ON THE BIDDER'S VENDOR REGISTRATION BE AN AWARDING CONTRACT TO, A BUSINESS IN WHICH ANY INDIVIDUAL WITH AN BEEN CONVICTED OF, OR HAS ENTERED A PLEA OF GUILTY OR NOLO CONTENDERE TO ANY E COMMITTED IN THE SOLICITATION OR EXECUTION OF A CONTRACT OR BID AWARDED UNDER BUSIONS OF CHAPTER 10 OF THILE 38 OF THE LOUISIANA REVISED STATUTES OF 1950, SERVICES PROCUREMENT UNDER THE PROVISIONS OF CHAPTER 16 OF THIS TITLE, OR THE	

SPECIAL	TERMS &	COND	ITIONS	INVITATION TO BID	
IUMBER : 22 OPEN DATE: 04 -NUMBER :		TIME:	10:00 AM	BIDDER:	PAGE 5
1	A PREF. GROWN, DO YOU	ERENCE OR AS CLAIN	E MAY BE ALL SSEMBLED IN . 1 THIS PREFE	NCE WITH LOUISIANA REVISED STATUTES 39:1595, OWED FOR PRODUCTS MANUFACTURED, PRODUCED, LOUISIANA OF EQUAL QUALITY. RENCE? YES	
				LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED,	
	DO YOU IF SO,	HAVE DO YO	A LOUISIANA	S REQUIRED, INCLUDE ON SEPARATE SHEET.) BUSINESS WORKFORCE? YES NO HAT AT LEAST FIFTY PERCENT (50%) OF YOUR FORCE IS COMPRISED OF LOUISIANA RESIDENTS?	
	YES	 E TO S	NO SPECIFY ABOV	E INFORMATION MAY CAUSE ELIMINATION FROM ES SHALL NOT APPLY TO SERVICE CONTRACTS.	
2	THE TIL IS LAT RECTION	ME SPE E OR U NS RES	ECIFIED ON T INSATISFACTO SERVES THE R	MAKE DELIVERY OR COMPLETE THE SERVICE WITHIN HIS PURCHASE ORDER, OR IF THE DELIVERY/SERVICE RY, THE DEPARTMENT OF PUBLIC SAFETY AND COR- IGHT TO CANCEL AND PURCHASE ELSEWHERE, CHARGING O THE VENDOR ON THE ORIGINAL PURCHASE ORDER.	
3	BIDDER, SELF-A FORMAT HTTP:/	S WILI DDRESS ION. /WWWPF	J BE NOTIFIE SED STAMPED VENDORS MAY	ACCORDANCE WITH L.A.C. 34: I.535, UNSUCCESSFUL D OF THE AWARD PROVIDED THAT THEY SUBMIT A ENVELOPE OR EMAIL ADDRESS REQUESTING THIS IN- ALSO VIEW AWARD INFORMATION ONLINE AT: IANA.GOV/OSP/LAPAC/PUBMAIN.ASP .GOV	
4	ENCLOS.	ED WIT	TH THE BID I.	PECIFIED, SUFFICIENT INFORMATION SHOULD BE N ORDER TO DETERMINE QUALITY, SUITABILITY, AND CIFICATIONS.	
	FAILUR.			THIS REQUEST MAY ELIMINATE YOUR BID FROM	

SPECIAL TERMS & CONE	DITIONS	INVITATION TO BID	
NUMBER : 2244149 OPEN DATE: 04/05/11 TIME: T-NUMBER :	10:00 AM	BIDDER:	PAGE 6
THE STATE A	LSO RESERVES	OVIDES THE EARLIEST POSSIBLE DELIVERY DATE. THE RIGHT TO REJECT ANY AND ALL VENDORS WHO APRIL 13, 2011.	
ļ ļ		DELIVERY DATE:	
'			

PRICE S	HEET	INVITATION	ON TO B	ID		
	: 2244149 : 04/05/11 TIME: 10:00 AM :	BIDDER:				PAGE 7
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	D TOTAL
	UNLESS SPECIFIED ELSEWHERE SHIP TO: LOUISIANA STATE PENITENTIARY LSP - 915 WAREHOUSE GENERAL DELIVERY ANGOLA , LA 70712 TO AVOID DELAYS IN PAYMENT, THE ORIGINAL INVOICE MUST BE MAILED TO THE "BILL TO" ADDRESS ABOVE.					
00001	COMMODITY CODE: 840-70-000000	4	EACH			
	YOUR RESPONSE TO THIS SOLICITATION MAY BE SUBMITTED BY FAX TO LYNN GODWIN AT 225-342-6593. THE BID MUST BE SIGNED & RECEIVED PRIOR TO THE BID OPENING DATE & TIME. **** IF THIS BID SPECIFIED A BRAND & MODEL NUMBER OR EQUAL, AND THE BIDDER DOES NOT INDICATE THE BRAND & MODEL THEY ARE BIDDING, EITHER IN THE SPACE PROVIDED, OR ELSWHERE IN THE BID RESPONSE OR ON ENCLOSED LITERATURE, AN ALTERNATE BRAND & MODEL CANNOT THEN BE ACCEPTED. **** MODEL CANNOT THEN BE ACCEPTED.					
	HANDHELD CAMCORDER:					
	DESCRIPTION: TO FEATURE FULL, 4:2:2 INDEPENDENT FRAME PRODUCTION QUALITY HD AND SOLID-STATE RECORDING. ENHANCED 1/3" PROGRESSIVE 16:9 3-CCD IMAGER TO PROVIDE EXCELLENT SIGNAL-TO-NOISE RATIO, LOWER NOISE/SMEAR AND QUALITY LOW-LIGHT PERFORMANCE. HIGH-END FEATURES TO INCLUDE: DYNAMIC RANGE STRETCH (DRS) TO ALLOW FOR BETTER CONTROL OVER HIGHLIGHTS AND SHADOWS IN RUN AND GUN SITUATIONS. DIGITAL SIGNAL PROCESSOR WITH 14-BIT A/D CONVERSION AND 19-BIT PROCESSING FOR HIGH-QUALITY RECORDINGS NECESSARY FOR TOP-LEVEL PRODUCTION AND BROADCAST.					

	: 2244149 :: 04/05/11 TIME: 10:00 AM :	BIDDER:				PAGE 8
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	D TOTAL
	UTILIZING A 13X LEICA DICOMAR ZOOM LENS, CAMCORDER IS TO OFFER A WIDE 28 MM (35 MM EQUIVALENT) VIEWING ANGLE, COVERING MOST SHOOTING SITUATIONS WITHOUT THE NEED FOR A WIDE-ANGLE CONVERSION LENS. OTHER FEATURES: AN OPTICAL IMAGE STABILIZER (O.I.S.) FUNCTION TO ENSURE STABILIZER (O.I.S.) FUNCTION TO ENSURE STABLE IMAGES DURING HAND-HELD SHOOTING. TO PROVIDE INSTANT RANDOM ACCESS TO RECORDED HD OR SD CONTENT; OPERATES RELIABLY IN HARSH ENVIRONMENTS, WITH RESISTANCE TO TEMPERATURES EXTREMES, SHOCK AND VIBRATION. FEATURES: * HD/SD-SDI OUTPUT FOR SERIAL DIGITAL PLAYOUT OR LIVE OUTPUT OF UNCOMPRESSED AUDIO/VIDEO SIGNALS * ENHANCED METADATA MANAGEMENT FEATURE SAVES DETAILS, SUCH AS NAMES OR TITLES, ONTO THE RECORDED CLIP * ADDITIONAL NEUTRAL DENSITY FILTERS: 1/4, 1/16, 1/64 * 20 VARIABLE FRAME RATE STEPS INCLUDE: 12, 15, 18, 20, 21, 22, 24, 25, 26, 27 28, 30, 32, 43, 64, 04, 44, 48, 54, 60 * BUILT-IN WAVEFORM MONITOR AND VECTORSCOPE AS WELL AS THREE ADVANCED FOCUS ASSIST FUNCTIONS (2X CENTER ZOOM, HISTOGRAM AND FOCUS BAR DISPLAY) * DYNAMIC RANGE STRETCH IN 601/60P HD REPLACES NEWS GAMMA * ENHANCED USER BUTTONS THAT ALLOW DELETION OF LAST CLIP, PRE-RECORD, SELECT P2 CARD SLOTS, OR GO INTO VARIABLE FRAME RATES WITH ONE BUTTON * 6-PIN FIREWIRE WITH LOCKING CONNECTION (NO POWER OUT) * DYNAMIC FOCUS RING/MANUAL FOCUS ASSIST (300 DEG/150 DEG ROTATION) ENSURES CAMERA REACHES THE LAST CRITICAL FOCUS POINT. IRIS/FOCUS RING ASSIGNMENT SWITCH ENABLES FOCUS RING TO BE THE IRIS * 10X, 5X, 2X, DIGITAL ZOOM IN 1080/60I MODE * COLOR BARS WITH 1KHZ TONE * CAMERA PLAYBACK FORMAT CAN BE CHANGED WITHOUT GOING INTO MENUS * TIME/DATE STAMP BURN-IN FOR LEGAL AND SURVEILLANCE WORK					

TIME: 10:00 AM ITY/SERVICE DESCRIPTION EN CAN ALSO BE FLIPPED 35MM ADAPTERS GN - MOST CABLES FACE REDUCE CONFLICTS; AUDIO LOCATED IN THE SAME PLACE (APX 4.2 LBS), YET DURABLE N WITH MAGNESIUM ALUMINUM S: CHAPTOR MPTION: CD MONITOR IS NOT USED) CD MONITOR IS USED) MPERATURES: O + 104 DEGREE F MIDITY: D CONDENSATION)	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
EN CAN ALSO BE FLIPPED 35MM ADAPTERS GN - MOST CABLES FACE REDUCE CONFLICTS; AUDIO LOCATED IN THE SAME PLACE (APX 4.2 LBS), YET DURABLE N WITH MAGNESIUM ALUMINUM S: : :BATTERY) AC ADAPTOR) MPTION: CD MONITOR IS NOT USED) CD MONITOR IS USED) MPERATURES: O + 104 DEGREE F MIDITY: O CONDENSATION)		UNIT	UNIT PRICE	EXTENDED TOTAL
35MM ADAPTERS GN - MOST CABLES FACE REDUCE CONFLICTS; AUDIO LOCATED IN THE SAME PLACE (APX 4.2 LBS), YET DURABLE N WITH MAGNESIUM ALUMINUM S: : :BATTERY) AC ADAPTOR) MPTION: CD MONITOR IS NOT USED) CD MONITOR IS USED) MPERATURES: O + 104 DEGREE F MIDITY: D CONDENSATION)				
: BATTERY) AC ADAPTOR) MPTION: CD MONITOR IS NOT USED) CD MONITOR IS USED) MPERATURES: O + 104 DEGREE F MIDITY: D CONDENSATION)				
BATTERY) AC ADAPTOR) MPTION: CD MONITOR IS NOT USED) CD MONITOR IS USED) MPERATURES: O + 104 DEGREE F MIDITY: D CONDENSATION)				
CD MONITOR IS NOT USED) CD MONITOR IS USED) MPERATURES: O + 104 DEGREE F MIDITY: D CONDENSATION)				
O + 104 DEGREE F MIDITY: D CONDENSATION)				
O CONDENSATION)				
X.: 4.19 LBS BS WITH TWO P2 CARDS AND TERY				
' H X 15-11/16" D 97 MM)				
RLINE TRANSFER TYPE,				
OTORIZED/MANUAL MODE X ZOOM, F1.6 - 3.0 MM / 35MM EQUIVALENT:				
SEPARATION: PRISM SYSTEM				
0P/30PN/24P/24PA/24PN 1/+12 DB, WHEN USING SLOW DR 1/15), 0DB FIXED. WHEN				
	97 MM) E: ERLINE TRANSFER TYPE, SIVE MODES SUPPORTED) R LENS WITH OPTICAL IMAGE OTORIZED/MANUAL MODE X ZOOM, F1.6 - 3.0 IMM / 35MM EQUIVALENT: M) R SEPARATION: PRISM SYSTEM N: 60I/60P MODE: 0/+3/+6/ 0P/30PN/24P/24PA/24PN 9/+12 DB, WHEN USING SLOW DR 1/15), ODB FIXED. WHEN 3 FPS FLAME RATE, ODB FIXED	ERLINE TRANSFER TYPE, SIVE MODES SUPPORTED) R LENS WITH OPTICAL IMAGE OTORIZED/MANUAL MODE X ZOOM, F1.6 - 3.0 IMM / 35MM EQUIVALENT: M) R SEPARATION: PRISM SYSTEM N: 60I/60P MODE: 0/+3/+6/ 0P/30PN/24P/24PA/24PN 0/+12 DB, WHEN USING SLOW DR 1/15), 0DB FIXED. WHEN	ERLINE TRANSFER TYPE, SIVE MODES SUPPORTED) R LENS WITH OPTICAL IMAGE OTORIZED/MANUAL MODE X ZOOM, F1.6 - 3.0 IMM / 35MM EQUIVALENT: M) R SEPARATION: PRISM SYSTEM N: 60I/60P MODE: 0/+3/+6/ 0P/30PN/24P/24PA/24PN 0/+12 DB, WHEN USING SLOW OR 1/15), 0DB FIXED. WHEN	ERLINE TRANSFER TYPE, SIVE MODES SUPPORTED) R LENS WITH OPTICAL IMAGE OTORIZED/MANUAL MODE X ZOOM, F1.6 - 3.0 IMM / 35MM EQUIVALENT: M) R SEPARATION: PRISM SYSTEM N: 60I/60P MODE: 0/+3/+6/ 0P/30PN/24P/24PA/24PN 0/+12 DB, WHEN USING SLOW OR 1/15), 0DB FIXED. WHEN

KICE S	HEET	IIIVITATI	ON TO B	עו		
	: 2244149 : 04/05/11 TIME: 10:00 AM :	BIDDER:				PAGE 10
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	D TOTAL
	SHUTTER SPEED: (PRESET) 60/60P MODE: 1/60 (OFF), 1/100, 1/120, 1/250, 1/500, 1/1000, 1/2000 SEC 30P/30PN MODE: 1/30, 1/50 (OFF), 1/60, 1/120, 1/250, 1/500, 1/1000 SEC 24P/24PA/24PN MODE: 1/24, 1/50 (OFF), 1/60, 1/120, 1/250, 1/500, 1/1000 SEC SHUTTER SPEED (SYNCHRO SCAN): 60/60P MODE: 1/60.0 SEC TO 1/249.8 SEC 30P/30PN MODE: 1/30.0 SEC TO 1/249.8 SEC 30P/30PN MODE: 1/30.0 SEC TO 1/249.8 SEC 24P/24PA/24PN MODE: 1/24.0 SEC TO 1/249.8 SEC SHUTTER ANGLE: 10 DEG TO 360 DEG BY 0.5 DEG STEPS "FILM CAM" MODE IN SCENE FILE OPERATION TYPE SLOW SHUTTER SPEED: 60//60P MODE: 1/15, 1/30 SEC 30P/30PN MODE: 1/15 SEC 24P/24PN MODE: 1/15 SEC 24P/24PN MODE: 1/12 SEC (720P MODE ONLY) MINIMUM LUMINANCE: 3 LUX (F1.6, +12DB GAIN AND 1/24 SEC. OF SHUTTER SPEED) LENS HOOD: WIDE-FIELD LARGE TYPE FILTER DIAMETER: 72 MM VIDEO GENERAL: * SAMPLING FREQUENCY: Y: 74.25 MHZ, PB/PR: 37.125 MHZ * QUANTIZING: 8 BITS * VIDEO COMPRESSION SYSTEM: COMPRESSION RATIO 1/6.7, DCT +VARIABLE LENGTH CODE * VIDEO RECORDING BIT RATE: 100 MBPS AUDIO GENERAL: * SAMPLING FREQUENCY: 48 KHZ * QUANTIZING: 16 BITS / 4CH * FREQUENCY CHARACTERISTICS: 20 HA TO 20KHZ VIDEO CONNECTORS: * SDI OUT: BNC X 1, 0.8VP-P, 75 * HD: SMPTE259M-C/272M-A/ITU-R.BT656-4 STANDARD * ANALOG COMPONENT OUTPUT: COMPONENT					

PRICE S	HEET	INVITATI	ON TO B	ID	
NUMBER	: 2244149 : 04/05/11 TIME: 10:00 AM	BIDDER:			PAGE 11
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
NO.	VIDEO TERMINAL X 1, Y:1.0VP-P, 75 OHM PB/PR: 0.7VP-P, 75 OHM * ANALOG COMPOSITE OUTPUT: PIN JACK X 1, 1.0VP-P, 75 OHM AUDIO CONNECTORS: * XLR INPUT: XLR (3-PIN) X 2 (INPUT 1/ INPUT 2) INPUT HIGH-IMPEDANCE LINE: 0DBU MIC: -50/-60DBU (SELECTABLE IN MENU) * LINE OUTPUT: PIN-JACK X 2 (CH1, CH2) 316MV, 6000HM * BUILT-IN MICROPHONE: STEREO MICROPHONE * PHONES: STEREO MINI JACK (3.5MM DIA.) * BUILT-IN SPEAKER: 20MM ROUND SHAPE X 1 OTHER CONNECTORS: * IEEE 1394: 6-PIN DIGITAL X 1 (INPUT/ OUTPUT), BASED ON IEEE 1394 STANDARD * USB: TYPE MINI B CONNCTR (USB VER2.0) * CAMERA REMOTE: 2.5MM DIA SUPER MINI JACK FOR ZOOM AND REC START/STOP 3.5MM DIA MINI JACK FOR FOCUS AND IRIS MONITOR, AC ADAPTER AND OTHER PACKAGES: * LCD COLOR MONITOR: 3.5",210,000 PIXELS * VIEWFINDER: 0.44"LCD COLOR, 235,000 PIXELS * AC ADAPTER: WEIGHT: 0.37 LBS (160G) DIMENSIONS: 2-13/16"W X 1-1/8" H X 4-5/8"D (70 X 44.5X 116 MM) SUPPLIED ACCESSORIES: AC ADAPTER/CHARGER AC CORD, DC CORD, EYE CUP, 5400MAH BATTERY PACK, WIRELESS REMOTE CONTROLLER WITH BUTTON-TYPE BATTERY, MICROPHONE HOLDER, SHOULDER STRAP, FERRITE CORE, COMPONENT VIDEO CABLE, PIN-BNC CONVERSION PLUG, P2 CARD SOFTWARE DRIVER INSTALLATION CD-ROM	FROM/TO			
	PANASONIC MANUFACTURER # AGHPX170PJ, OR EQUAL BRAND/MODEL BID: >>> NOTE: IF BIDDING ALTERNATE, SUBMIT SPECIFICATIONS/LITERATURE WITH BID.				
00002	COMMODITY CODE: 840-70-000000	4	EACH		

BIDDER: QUANTITY FROM/TO	UNIT			PAGE
	UNIT			
	ONII	UNIT PRICE	EXTENDED	TOTAL